

## Design Inspection/Walkthrough Checklist

Number: 580-CK-058-01

Effective Date: April 24, 2006

Expiration Date: April 24, 2011

Approved By: (signature)
Name: Barbara Pfarr
Title: Assoc. Chief, ISD

Responsible Office: 580/Information Systems Division (ISD)

Asset Type: Checklist
Title: Design Inspection/Walkthrough

PAL Number: 2.3.1.3

## **Design Inspection/Walkthrough Checklist** The Design Inspection/Walkthrough Checklist uses a set of design measures applied to the software design. These measures are characteristics of structural factors that are judged as adequate or not, rather than quantitatively measured and compared against an absolute standard. Guidance: Also see the Testing Process. Test Case development typically occurs concurrently with design development and the two activities may influence each other. Considerations to be checked for all designs include: **√ Observations and Comments** (Mandatory) Completeness – Specification of design is to the lowest appropriate level. Guidance: Not all may be applicable for a particular system (e.g., not all systems will need to consider COTs), but each check should be considered. Review Requirements Traceability Matrix to ensure coverage of all requirements Ensure coverage of: Real-time requirements Performance issues (memory and timing) Spare capacity (CPU and memory) Maintainability Understandability Database requirements Loading and initialization Error handling and recovery User interface issues Software upgrades Software re-use and modifications COTS All inputs and outputs Clearly and correctly identify interfaces All functions clearly and accurately described in sufficient detail All interfaces clearly and (appropriately) precisely defined Adequate data structures defined All error codes documented

Design Inspection/Walkthrough Checklist, version 1.0

page 1 of 3

April 24, 2006

		1	
Suitability  The design itself is good.			
	<b>/</b>		
Deviations from the requirements are	<del>'</del>		
Deviations from the requirements are			
documented and approved			
Assumptions are documented			
Major design decisions are documented	12		
The design is expressed in precise			
unambiguous terms			
Dependencies on other functions, operating			
system, hardware etc. are documented			
The design follows notational conventions			
Correctness – The design will lead to good sof	woro	$\vdash$	
Correctness – The design will lead to good sor	ware.		
	<b>✓</b>		
The logic is correct			
Memory and timing budgets are reasonable			
and achievable			
Error messages are helpful and			
Error messages are helpful and understandable			
Error messages are helpful and understandable  The design is understandable (i.e., easy to			
Error messages are helpful and understandable  The design is understandable (i.e., easy to read, to follow logic)			
Error messages are helpful and understandable  The design is understandable (i.e., easy to read, to follow logic)  It is maintainable (i.e., no obscure logic);			
Error messages are helpful and understandable The design is understandable (i.e., easy to read, to follow logic) It is maintainable (i.e., no obscure logic); It is testable			
Error messages are helpful and understandable The design is understandable (i.e., easy to read, to follow logic) It is maintainable (i.e., no obscure logic); It is testable It is consistent (i.e., program flow and data			
Error messages are helpful and understandable The design is understandable (i.e., easy to read, to follow logic) It is maintainable (i.e., no obscure logic); It is testable It is consistent (i.e., program flow and data format match between sending and receiving			
Error messages are helpful and understandable The design is understandable (i.e., easy to read, to follow logic) It is maintainable (i.e., no obscure logic); It is testable It is consistent (i.e., program flow and data format match between sending and receiving components/software units)			
Error messages are helpful and understandable The design is understandable (i.e., easy to read, to follow logic) It is maintainable (i.e., no obscure logic); It is testable It is consistent (i.e., program flow and data format match between sending and receiving components/software units) It is cohesive (i.e., proper groupings of related			
Error messages are helpful and understandable The design is understandable (i.e., easy to read, to follow logic) It is maintainable (i.e., no obscure logic); It is testable It is consistent (i.e., program flow and data format match between sending and receiving components/software units) It is cohesive (i.e., proper groupings of related components/functions)			
Error messages are helpful and understandable The design is understandable (i.e., easy to read, to follow logic) It is maintainable (i.e., no obscure logic); It is testable It is consistent (i.e., program flow and data format match between sending and receiving components/software units) It is cohesive (i.e., proper groupings of related components/functions) It is mutually suspicious (i.e., the			
Error messages are helpful and understandable The design is understandable (i.e., easy to read, to follow logic) It is maintainable (i.e., no obscure logic); It is testable It is consistent (i.e., program flow and data format match between sending and receiving components/software units) It is cohesive (i.e., proper groupings of related components/functions) It is mutually suspicious (i.e., the components/software units check each other			
Error messages are helpful and understandable  The design is understandable (i.e., easy to read, to follow logic)  It is maintainable (i.e., no obscure logic);  It is testable  It is consistent (i.e., program flow and data format match between sending and receiving components/software units)  It is cohesive (i.e., proper groupings of related components/functions)  It is mutually suspicious (i.e., the components/software units check each other for errors in parameters or other exchanged			
Error messages are helpful and understandable  The design is understandable (i.e., easy to read, to follow logic)  It is maintainable (i.e., no obscure logic);  It is testable  It is consistent (i.e., program flow and data format match between sending and receiving components/software units)  It is cohesive (i.e., proper groupings of related components/functions)  It is mutually suspicious (i.e., the components/software units check each other for errors in parameters or other exchanged data)			
Error messages are helpful and understandable The design is understandable (i.e., easy to read, to follow logic) It is maintainable (i.e., no obscure logic); It is testable It is consistent (i.e., program flow and data format match between sending and receiving components/software units) It is cohesive (i.e., proper groupings of related components/functions) It is mutually suspicious (i.e., the components/software units check each other for errors in parameters or other exchanged data) COTS and GOTS have been verified to fulfill			
Error messages are helpful and understandable  The design is understandable (i.e., easy to read, to follow logic)  It is maintainable (i.e., no obscure logic);  It is testable  It is consistent (i.e., program flow and data format match between sending and receiving components/software units)  It is cohesive (i.e., proper groupings of related components/functions)  It is mutually suspicious (i.e., the components/software units check each other for errors in parameters or other exchanged data)			
Error messages are helpful and understandable The design is understandable (i.e., easy to read, to follow logic) It is maintainable (i.e., no obscure logic); It is testable It is consistent (i.e., program flow and data format match between sending and receiving components/software units) It is cohesive (i.e., proper groupings of related components/functions) It is mutually suspicious (i.e., the components/software units check each other for errors in parameters or other exchanged data) COTS and GOTS have been verified to fulfill			
Error messages are helpful and understandable The design is understandable (i.e., easy to read, to follow logic) It is maintainable (i.e., no obscure logic); It is testable It is consistent (i.e., program flow and data format match between sending and receiving components/software units) It is cohesive (i.e., proper groupings of related components/functions) It is mutually suspicious (i.e., the components/software units check each other for errors in parameters or other exchanged data) COTS and GOTS have been verified to fulfill			
Error messages are helpful and understandable The design is understandable (i.e., easy to read, to follow logic) It is maintainable (i.e., no obscure logic); It is testable It is consistent (i.e., program flow and data format match between sending and receiving components/software units) It is cohesive (i.e., proper groupings of related components/functions) It is mutually suspicious (i.e., the components/software units check each other for errors in parameters or other exchanged data) COTS and GOTS have been verified to fulfill			
Error messages are helpful and understandable The design is understandable (i.e., easy to read, to follow logic) It is maintainable (i.e., no obscure logic); It is testable It is consistent (i.e., program flow and data format match between sending and receiving components/software units) It is cohesive (i.e., proper groupings of related components/functions) It is mutually suspicious (i.e., the components/software units check each other for errors in parameters or other exchanged data) COTS and GOTS have been verified to fulfill			
Error messages are helpful and understandable The design is understandable (i.e., easy to read, to follow logic) It is maintainable (i.e., no obscure logic); It is testable It is consistent (i.e., program flow and data format match between sending and receiving components/software units) It is cohesive (i.e., proper groupings of related components/functions) It is mutually suspicious (i.e., the components/software units check each other for errors in parameters or other exchanged data) COTS and GOTS have been verified to fulfill their intended purpose			
Error messages are helpful and understandable The design is understandable (i.e., easy to read, to follow logic) It is maintainable (i.e., no obscure logic); It is testable It is consistent (i.e., program flow and data format match between sending and receiving components/software units) It is cohesive (i.e., proper groupings of related components/functions) It is mutually suspicious (i.e., the components/software units check each other for errors in parameters or other exchanged data) COTS and GOTS have been verified to fulfill	y		

Design Inspection/Walkthrough Checklist, version 1.0

5	Quality – A high quality design of a high quality system  ✓  Have alternate design approaches been evaluated and the optimum chosen?  User interface/screens have been verified with end users?  Are there minimal requirements TBD's?			
No	tes/Action Items for follow-up			
#	Action	Assig	gnee	Due Date
			•	

## References

- Page-Jones, M., The Practical Guide to Structured Systems Design, second edition, Yourdon Press (Prentice-Hall), 1988.
- Ward, P. T. and Mellor, S. J., Structured Development for Real-Time Systems, 3 volumes, Yourdon Press, 1985, 1986.
- Yourdon, E. and Constantine, L., Structured Design, Prentice-Hall, 1979.
- Software Verification and Validation: A Practitioner's Guide by Steven R. Rakitin Artech House © 1997
- Booch, Grady, Object-Oriented Design: With Applications, Benjamin/Cummings, Redwood City, CA, 1991.
- What Makes a Good Object-Oriented Design (http://ootips.org/ood-principles.html)

## Change History

Version	Date	Description of Improvements
1.0	4/24/06	Initial approved version by CCB